






未注公差/General tolerances(mm)											0.1/10		
0	>3	>6	>10	>18	>30	>50	>80	>120	>180	>250		>315	>400
~3	~6	~10	~18	~30	~50	~80	~120	~180	~250	~315	~400	~500	~2.50
±0.12	±0.18	±0.22	±0.26	±0.31	±0.37	±0.57	±0.80	±0.93	±1.05	±1.15	±1.60	±2.20	±2.50



文管中心
研发专用
2020.06.03
(仅限内部使用, 对外无效)

3	Cover	PA66	UL94V-0	
3	Pin 2	Copper alloy	Sn plated	
2	Pin 1	Copper alloy	Sn plated	
1	Housing	PA66	UL94V-0	
ITEM	NAME OF PART	MATERIAL	NOTES	
UL 标准/UL Standard:		B	C	D
额定电压/电流/Rated Voltage(V)/Current(A)		300/8	/	300/8
IEC 标准/IEC Standard:				
过压类别/Overvoltage Category/污染等级/Pollution Degree		III/3	III/2	II/2
额定电压/电流/Rated Voltage(V)/Current(A)		/	/	250/7
额定脉冲电压(KV)/Rate Impulse Voltage(KV)		/	/	2.5
间距/Pitch(mm)/线数范围/Poles		3.50/N=04~48P		
使用温度范围/Operating temperature(°C)		-40~+105		
符合RoHS环保要求/Conform to RoHS		Yes		

MATERIAL:		SURFACE:	
MAT NO.: /		宁波高松电子有限公司 NINGBO DEGSON ELECTRICAL CO., LTD	
STATUS: /			
APPD:Lan ChH 2020.06.03		NAME:	
CHKD:Yu JZh 2020.06.03		15EDGRH-3.5-XXP-1Y-00A(H)	
DRFT: WL 2015.10.12		DRAWING NO.: 15EDGRH-3.5-C01	
REV		REV	
ECN		T2	
DESCRIPTION		TYPE: CUSTOMER DRAWING	
DRFT		SCALE: 2:1	
DATE		SHEET 1/1	

T2		Change the frame	Wu LF	2020.06.03
T1	18-0365	Modify structure	CMZ	2019.01.24
REV	ECN	DESCRIPTION	DRFT	DATE

