





REVISION RECORD			
REV	ECN	DESCRIPTION	DRFT DATE



DG950 - 9.5 - XXP - 1Y - 00A (H)  
 (Series No.) (Pitch) (Poles) (Single Pitch) (Color): 1.(Grey)  
 2.(Blue)  
 3.(Black)  
 4.(Green)  
 5.(Orange)  
 6.(Red)  
 7.(Transparent)  
 8.(Yellow)  
 9.(White)

Pitch range	in		mm		Nominal dimension range	in	mm
	Over	To	Over	To			
6	TO	10	TO	30	Over	0.1/10	
10	TO	24	TO	60	Over	1/150	
15	±0.20	±0.30	±0.30	±0.50	±0.70	±1.00	±1.30
20	±0.20	±0.30	±0.30	±0.50	±0.70	±1.00	±1.30
25	±0.20	±0.30	±0.30	±0.50	±0.70	±1.00	±1.30
30	±0.20	±0.30	±0.30	±0.50	±0.70	±1.00	±1.30
35	±0.20	±0.30	±0.30	±0.50	±0.70	±1.00	±1.30
40	±0.20	±0.30	±0.30	±0.50	±0.70	±1.00	±1.30
45	±0.20	±0.30	±0.30	±0.50	±0.70	±1.00	±1.30
50	±0.20	±0.30	±0.30	±0.50	±0.70	±1.00	±1.30
55	±0.20	±0.30	±0.30	±0.50	±0.70	±1.00	±1.30
60	±0.20	±0.30	±0.30	±0.50	±0.70	±1.00	±1.30
65	±0.20	±0.30	±0.30	±0.50	±0.70	±1.00	±1.30
70	±0.20	±0.30	±0.30	±0.50	±0.70	±1.00	±1.30
75	±0.20	±0.30	±0.30	±0.50	±0.70	±1.00	±1.30
80	±0.20	±0.30	±0.30	±0.50	±0.70	±1.00	±1.30
85	±0.20	±0.30	±0.30	±0.50	±0.70	±1.00	±1.30
90	±0.20	±0.30	±0.30	±0.50	±0.70	±1.00	±1.30
95	±0.20	±0.30	±0.30	±0.50	±0.70	±1.00	±1.30
100	±0.20	±0.30	±0.30	±0.50	±0.70	±1.00	±1.30

7.RoHS Compliance

- NOTES1:
- UL Standard
  - 1.Rated Voltage/Current : 300V / 30A
  - 2.Torque Value : M3 , 4.43Lb.in
  - 3.Wire Range : 26~10AWG
- IEC Standard
- 1.Rated Voltage/Current : 750V / 26A
  - 2.Torque Value : M3 , 0.5N.m
  - 3.Wire Range : 1.5~4mm²
- NOTES2:
- 1.Dimension shall be interpreted per ASME Y14.5-2009
  - 2.Pitch : 9.5mm, Poles : N=02~24P
  - 3.Stripping length : 8~9mm
  - 4.Withstanding Voltage : AC3000V/1min.
  - 5.Operating temperature : -40°C~+105°C
  - 6.Undimensioned Tolerances:

DETACHED LISTS			
PART NO.:	/	NAME:	NINGBO DEGSON ELECTRICAL CO., LTD
APPD:	/	APPD:	NINGBO DEGSON ELECTRICAL CO., LTD
CHKD:	/	CHKD:	NINGBO DEGSON ELECTRICAL CO., LTD
DRFT:	/	TITLE:	CUSTOMER DRAWING
THIRD ANGLE PROJECTION		DRAWING NO.:	/
		DO NOT SCALE DRAWING	SCALE
			1:1

